Geodatastyrelsen
Danish Geodata Agency

CHART CORRECTIONS

Kort/Chart 100

Kattegat

00145-26

Denmark. Skagerrak. Skagen N. Wreck.

Details:

Insert wreck (INT 1 – K 29) at position 1).

Insert the text "Rep (2026)" nearby.

1) 57° 49.7'N - 010° 28.9'E

Source: NM-478-26

Published: 2026-06-09

00113-26

Denmark. Sjællands Odde. Gniben W and E. Mooring buoys withdrawn..

Details:

Delete buoyage as specified at positions 1) to 10).

1) 56° 00.539'N - 011° 16.324'E, yellow mooring buoy with topmark

2) 56° 00.510'N - 011° 16.017'E, yellow mooring buoy with topmark

3) 56° 00.381'N - 011° 16.076'E, yellow mooring buoy with topmark

4) 56° 00.472'N - 011° 15.759'E, yellow mooring buoy with topmark

5) 56° 00.266'N - 011° 15.262'E, yellow mooring buoy with topmark

6) 56° 00.586'N - 011° 17.221'E, yellow mooring buoy with topmark

7) 56° 00.760'N - 011° 17.344'E, yellow mooring buoy with topmark

8) 56° 00.687'N - 011° 17.441'E, yellow mooring buoy with topmark

9) 56° 00.728'N - 011° 17.711'E, yellow mooring buoy with topmark

10) 56° 01.185'N - 011° 17.760'E, yellow mooring buoy with topmark

Source: GST, 5. May 2026

Published: 2026-05-05

00111-26

Kattegat N. Herthas Flak E. Wreck

Details:

Delete the wreck at position 1).

1) 57° 39.36'N – 010° 56.24'E, 21 m

Source: GST, 1. May 2026

Published: 2026-05-01

00081-26

Sweden. The Sound. Steninge SW. Wrecks

Details:

Delete the wreck (INT 1 – K 26) at positions 1) and 2).

1) 56° 40.23'N - 012° 34.78'E, 10 m

2) 56° 38.70'N - 012° 37.19'E, 10 m

Insert the wreck (INT 1 – K 26) at positions 3) and 4).

3) 56° 40.14'N - 012° 35.13'E, 16.1 m

4) 56° 38.58'N - 012° 38.22'E, 18 m

Source: Ufs 1065/19236 2025

Published: 2026-03-06

00012-26

Sweden. Skagerrak. E and NE of Skagen. NW of Väderöbod. Buoyage.

Details:

Delete the buoys as specified at positions 1) to 5).

1) 57° 46.34'N - 011° 07.86'E, special purpose light spar buoy, Fl.Y.3s

2) 57° 48.62'N - 011° 08.50'E, special purpose light spar buoy, Fl.Y.3s

3) 57° 48.65'N - 011° 04.56'E, special purpose light spar buoy, Fl.Y.3s

4) 57° 53.08'N - 011° 02.87'E, special purpose light spar buoy, Fl.Y.3s

5) 57° 54.69'N - 010° 57.04'E, special purpose light spar buoy, Fl.Y.3s

Source: UfS 1023/18575 2024

Published: 2026-01-11

00011-26

Denmark. Kattegat. Anholt Vindmøllepark. Racon discontinued.

Details:

Delete the Racon as specified at position 1).

1) 56° 30.477'N - 011° 11.026'E, RACON (U)

Source: NM-1075-25

Published: 2026-01-09

00001-26

Denmark. Kattegat. Ålbæk Bugt. Skagen S. Obstruction.

Details:

Insert foul ground (INT 1 – K 31.1) at position 1).

1) 57° 41.428'N - 010° 35.740'E

Source: NM-1067-25

Published: 2026-01-06

00189-25

Denmark. Kattegat. Anholt N. Rock discovered through survey

Details:

Insert underwater rock (INT 1 – K 14.1) with depth as specified at position 1).

1) 56° 52.937'N - 011° 35.881'E, 12.3 m

Source: NM-848-25

Published: 2025-10-10

00186-25

Kattegat. Gilleleje Flak W. Stone reefs established.

Details:

Delete obstruction area (INT 1 – K 40) bounded by positions 1) to 6).

1) 56° 09.929'N - 012° 15.705'E

2) 56° 10.091'N - 012° 15.981'E

3) 56° 09.995'N - 012° 16.482'E

Continued on the next page

4) 56° 09.702'N - 012° 16.732'E
5) 56° 09.549'N - 012° 16.452'E
6) 56° 09.929'N - 012° 15.705'E

In the obstruction area – delete symbol "R" at positions 7) and 8).
7) 56° 09.911'N - 012° 16.118'E
8) 56° 09.725'N - 012° 16.444'E

Insert fish haven with minimum depth 11.8 m (INT 1 – K 46.2) bounded by positions 9) to 14).
9) 56° 09.845'N - 012° 15.945'E
10) 56° 09.932'N - 012° 16.545'E
11) 56° 09.880'N - 012° 16.613'E
12) 56° 09.778'N - 012° 16.325'E
13) 56° 09.804'N - 012° 15.978'E
14) 56° 09.845'N - 012° 15.945'E

Delete obstruction area (INT 1 – K 40) bounded by positions 15) to 19).
15) 56° 08.706'N - 012° 15.214'E
16) 56° 08.874'N - 012° 15.576'E
17) 56° 08.525'N - 012° 16.156'E
18) 56° 08.346'N - 012° 15.796'E
19) 56° 08.706'N - 012° 15.214'E

In the obstruction area – delete symbol "R" at positions 20) and 21).
20) 56° 08.752'N - 012° 15.523'E
21) 56° 08.554'N - 012° 15.799'E

Insert fish haven with minimum depth 6.9 m (INT 1 – K 46.2) bounded by positions 22) to 26).
22) 56° 08.660'N - 012° 15.370'E
23) 56° 08.812'N - 012° 15.476'E
24) 56° 08.771'N - 012° 15.768'E
25) 56° 08.544'N - 012° 15.800'E
26) 56° 08.660'N - 012° 15.370'E

Source: GST, 2. October 2025
Published: 2025-10-03

00076-25

Chart 100. Kattegat: Amend Magnetic Variation and Compass Rose.

Details:

Replace the magnetic variation at positions 1) and 2) with the following updated variation values.
1) 56° 36.667'N - 012° 22.802'E, 5°05'E 2025 (10'E)
2) 57° 34.840'N - 011° 00.828'E, 4°40'E 2025 (10'E)

Adjust the north arrow in the compass rose accordingly.

Source: GST, 7. July 2025
Published: 2025-07-10

00017-25

Denmark. Kattegat. Læsø N. Lost anchor.

Details:

Continued on the next page

Insert foul ground (INT1 - K31.1) in position 1).
1) 57° 31.556'N - 011° 10.777'E

Source: NM-338-25
Published: 2025-05-14