Geodatastyrelsen
Danish Geodata Agency

CHART CORRECTIONS

Kort/Chart 143

Storebælt. Sprogø - Langeland

00289-26

Denmark. Storebælt. Elefantgrund. Halsskov N. Restricted areas discontinued.

Details:

Delete the areas in which fishing (INT 1 – N 21.1), anchoring (INT 1 – N 20), and seabed operations (INT 1 – N e) are prohibited at positions 1) to 3).

1) 55° 31.4'N – 010° 55.5'E

2) 55° 31.0'N – 011° 00.6'E

3) 55° 23.2'N – 011° 06.3'E

Source: NM-1082-26

Published: 2026-10-29

00277-26

Denmark. The Great Belt. Vengeancegrund. Buoyage withdrawn.

Details:

Delete the buoy as specified at position 1).

1) 55° 13.770'N – 011° 05.388'E, yellow can buoy with cross topmark

Source: NM-962-26

Published: 2026-10-19

00265-26

Denmark. Storebælt. Storebæltsbroen. Østbroen. Buoyed measuring equipment moved.

Details:

Move the buoyed measuring equipment as specified from position 1) to 2), and from position 3) to 4).

1) 55° 20.569'N – 011° 03.684'E, yellow spar buoy with cross topmark

2) 55° 20.830'N – 011° 03.606'E, yellow spar buoy with cross topmark

3) 55° 20.600'N – 011° 03.766'E

4) 55° 20.861'N – 011° 03.672'E

Source: NM-932-26

Published: 2026-10-02

00220-26

Denmark. The Great Belt. Hov SE. Reduced depth.

Details:

Insert the depth as specified at position 1).

Insert the text "PA" (INT 1 – B 7) nearby.

1) 55° 08.715'N – 010° 57.446'E, 1.6 m

Adjust the 2 m depth contour to enclose the depth at position 1).

Source: NM-806-26

Published: 2026-08-28

00218-26

Denmark. Smålandsfarvandet. Agersø SE. Helleholm Flak. Reduced depth. Stone.

Details:

Insert underwater rock (INT 1 – K 14) with depth as specified at position 1).

Continued on the next page

Insert the text "Rep (2026)" nearby.

1) 55° 10.800'N – 011° 13.400'E, 2 m

Source: NM-805-26

Published: 2026-08-28

00200-26

Denmark. Storebælt. Storebæltsbroen. Østbroen. Maintenance works. Prohibited areas established.

Details:

Insert restricted area (INT 1 – N 2.1) bounded by positions 1) to 5) and 6) to 10).

Insert fishing (INT 1 – N 21.1), anchoring (INT 1 – N 20), diving (INT 1 – N 21.2), and seabed operations (INT 1 – N e) prohibited.

1) 55° 20.477'N - 011° 01.465'E

2) 55° 20.378'N - 011° 01.458'E

3) 55° 20.352'N - 011° 01.258'E

4) 55° 20.446'N - 011° 01.221'E

5) 55° 20.477'N - 011° 01.465'E

6) 55° 20.646'N - 011° 02.828'E

7) 55° 20.672'N - 011° 03.030'E

8) 55° 20.589'N - 011° 03.062'E

9) 55° 20.560'N - 011° 02.830'E

10) 55° 20.646'N - 011° 02.828'E

Source: NM-729-26

Published: 2026-08-12

00192-26

Denmark. Smålandsfarvandet. Agersø Sund. Tudsehage. Reduced depth. Stone.

Details:

Insert a rock (INT 1 – K 14.2) and the depth as specified at position 1).

Insert the text "Rep (2026)" nearby.

1) 55° 14.856'N - 011° 13.354'E, 1.6m

Source: NM-677-26

Published: 2026-08-04

00139-26

Denmark. The Great Belt. Storebæltsbroen. Østbroen. Buoyed measuring equipment deployed.

Details:

Insert the buoyage as specified at positions 1) to 3).

Insert the text "Rec.St." nearby positions 1) to 3).

1) 55° 20.569'N - 011° 03.684'E, yellow spar buoy with cross topmark

2) 55° 20.830'N - 011° 03.606'E, yellow spar buoy with cross topmark

3) 55° 20.372'N - 011° 01.066'E, yellow spar buoy with cross topmark

Source: NM-469-26

Published: 2026-06-04

00134-26

Denmark. The Great Belt. Storebæltsbroen. Østbroen. Maintenance works. Buoyed prohibited areas established. Buoyage deployed.

Details:

Continued on the next page

Insert prohibited area (INT 1 – N 2.2) bounded by positions 1) to 5).
Insert the buoyage as specified at positions 1) to 4).
1) 55° 20.604'N – 011° 00.497'E, yellow spar buoy with cross topmark
2) 55° 20.656'N – 011° 00.974'E, yellow can buoy with cross topmark, Fl.Y.3s
3) 55° 20.154'N – 011° 01.136'E, yellow can buoy with cross topmark, Fl.Y.3s
4) 55° 20.096'N – 011° 00.669'E, yellow spar buoy with cross topmark
5) 55° 20.604'N – 011° 00.497'E

Insert prohibited area (INT 1 – N 2.2) bounded by positions 6) to 10).
Insert the buoyage as specified at positions 6) to 9).
6) 55° 20.910'N – 011° 03.166'E, yellow can buoy with cross topmark, Fl(4).Y.10
7) 55° 20.956'N – 011° 03.637'E, yellow spar buoy with cross topmark
8) 55° 20.443'N – 011° 03.822'E, yellow spar buoy with cross topmark
9) 55° 20.382'N – 011° 03.318'E, yellow can buoy with cross topmark, Fl(4).Y.10
10) 55° 20.910'N – 011° 03.166'E

Source: NM-383-26
Published: 2026-06-04

00131-26

Denmark. The Great Belt. Nyborg Fjord. Buoyed measuring equipment deployed.

Details:
Insert the buoyage as specified at positions 1) and 2).
Insert the text "Rec.St." nearby positions 1) and 2).
1) 55° 17.653'N - 010° 48.467'E, yellow spar buoy with cross topmark
2) 55° 17.620'N - 010° 48.759'E, yellow spar buoy with cross topmark

Source: NM-479-26
Published: 2026-06-03

00126-26

Denmark. The Waters South of Zealand. Stigsnæs Havn. Light discontinued.

Details:
Delete the lighted beacon (INT 1 – P 1) at position 1).
Delete the light flare R (INT 1 – P 11.2) nearby.
Replace the text "3 F.R" nearby position 1) with "2 F.R".
1) 55° 12.287'N - 011° 14.684'E

Source: NM-410-26
Published: 2026-06-02

00110-26

Denmark. The Great Belt. Sprogø E. Buoyed measuring equipment withdrawn.

Details:
Delete the buoy as specified at position 1).
Delete the text "Rec. St." nearby.
1) 55° 20.376'N – 011° 01.116'E, yellow can buoy with cross topmark

Source: NM-324-26
Published: 2026-04-27

00242-25

Agersø. Egholm Forfyr. Correction of light characteristic

Details:

Replace the light characteristic "Iso.G.4s 17m 10M" with "Iso.G.2s 5m 10M" nearby position 1).

1) 55° 14.530'N - 011° 10.925'E, Egholm Forfyr

Source: GST, 15. December 2025

Published: 2025-12-17